


Image not found or type unknown



Technical information
Productnumber : 6316961



KRUIZINGA.NL[®]
Opslag- en transportmiddelen

KRUIZINGA.DE[®]
Lager- und Transportmittel

KRUIZINGA.FR[®]
Stockage et ressources de transport

KRUIZINGA.COM[®]
Material handling equipment

Image not found or type unknown

Product description

Matador wheelbarrow 90L, plastic red tray, Profimax electric M-E-Barrow

- The M-E-BARROW is an electric driven aluminum wheelbarrow with Extra wide puncture proof tyre, RVS-rim and a HDPE-tray with a capacity of 90 liter.
- Plastic tray, 7mm. Thick HDPE impact resistant plastic prevents splashing of the bin on the sides.
- While using the wheelbarrow, the upperside of the tray is almost horizontal.
- Solid frame of magnesium reinforced aluminum with continuous wide outstanding legs for high lateral stability.
- Easy to operate by sliding handle. The more resistance when pushing the wheelbarrow the more the engine takes over.
- When loaded, the lifting weight is 25% less than similar wheelbarrows.
- Extra wide puncture proof tyre Ø400x130mm. Equipped with special integrated motor with a capacity more than 600 Watt. Max 6 Km/h.
- Natural ergonomic rubber handgrip with knuckle protection.

- Reduces the physical load
- Over steep slope, e.g. when unloading in a container, goes smoothly.
- Uphill driving is very comfortable.
- Battery charges when driving downhill.
- Easy to ride through soft soil.
- Direct drive
- Alternating Current (AC)
- Gearless (less parts, more durable)
- Low noise.
- Top energy efficient.
- Lithium battery with sophisticated battery management.
- Normal working with wheelbarrow for 8 hours on single battery charge (Depending on the user and application).
- Charging time 3 hours.
- Lifespan (from 0% to 100% State Of Charge): 500 cycles to 70%.
- Lifespan (from 30 to 70% State Of Charge): up to 10000 cycles to 70% capacity.
- You can move forward and backward without pushing your hand (Push-Pull).
- Torque 25Nm
- Battery 36V, 10,5 Ah, Lithium
- Chargetemp. 4-40oC
- Dis-chargetemp. -20-60oC
- Input / Output voltage 200/240V AC 42V / 5A
- Protection rating IP65

Specifications

Article arrangement: New

Version: electrically powered - 36V, 10,5 Ah, Lithium

Colour: red

Width (mm): 625

Loading capacity (kg): 200

Weight (kg) 26.6

EAN Code (Gtin) 8719424219579

Type: Matado universal wheelbarrow

Material: aluminium/plastic

Length (mm): 1430


Height (mm): 870

Volume (ltr): 90

Type number: 6318182

Scan the QR code for more information





Technical information

Productnumber : 6316961



KRUIZINGA.NL[®]
Opslag- en transportmiddelen

KRUIZINGA.DE[®]
Lager- und Transportmittel

KRUIZINGA.FR[®]
Stockage et ressources de transport

KRUIZINGA.COM[®]
Material handling equipment